



1. Identification

Product identifier	Homestretch S
Other means of identification	
Product code	29012MER
Recommended use	Agricultural/ Horticultural Use- Micronutrient Fertilizer- Refer to product label.
Recommended restrictions	Refer to product label.
Manufacturer/Importer/Supplier/	Distributor information
Manufacturer	
Company name	Meristem Crop Performance
Address	489 Village Park Dr.,
	Powell, OH 43065
	United States
Telephone	1-833-637-4783
Website	www.meristemag.com
E-mail	MDEviston@MeristemAg.com
Emergency phone number	651-270-8282

2. Hazard(s) identification

Physical hazards	Not classified.	
Health hazards	Acute toxicity, oral	Category 4
	Serious eye damage/eye irritation	Category 2A
	Reproductive toxicity	Category 2
	Specific target organ toxicity, repeated exposure	Category 1
Environmental hazards	Not classified.	
OSHA defined hazards	Not classified.	

Label elements



Signal word	Danger
Hazard statement	Harmful if swallowed. Causes serious eye irritation. Suspected of damaging fertility or the unborn child. Causes damage to organs through prolonged or repeated exposure.
Precautionary statement	
Prevention	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe mist/vapors. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective gloves/protective clothing/eye protection/face protection.
Response	If swallowed: Call a poison center/doctor if you feel unwell. Rinse mouth. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If exposed or concerned: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Take off contaminated clothing and wash it before reuse.
Storage	Store locked up.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	None.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Urea		57-13-6	10 - < 20*
Boric acid (H3BO3) reaction products with ethanolamine		94095-04-2	3 - < 5*
Manganese Sulfate, monohydrate		10034-96-5	3 - < 5*
Zinc Sulfate, Monohydrate		7446-19-7	3 - < 5*
Other components below reportable	levels		70 - < 80

Other components below reportable levels

4. First-aid measures

Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Wash off with soap and water. Get medical attention if irritation develops and persists.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Get medical advice/attention if you feel unwell.
Most important symptoms/effects, acute and delayed	Headache. Nausea, vomiting. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Prolonged exposure may cause chronic effects.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Keep victim warm. Keep victim under observation. Symptoms may be delayed.
General information	IF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.

5. Fire-fighting measures

Suitable extinguishing media	Alcohol resistant foam. Dry powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist/vapors. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	Use water spray to reduce vapors or divert vapor cloud drift. Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.
Environmental precautions	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe mist/vapors. Do not taste or swallow. Avoid contact with eyes. Avoid prolonged exposure. When using, do not eat, drink or smoke. Pregnant or breastfeeding women must not handle this product. Should be handled in closed systems, if possible. Provide adequate ventilation. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Observe good industrial hygiene practices.
Conditions for safe storage, including any incompatibilities	Store locked up. Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).
	Store in secured area away from children, feed, and other food products. Store in original

container. Store in a well-ventilated area. Storage temperature: 40 F to 100 F.

8. Exposure controls/personal protection

Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

	Туре	Value	
Manganese Sulfate, monohydrate (CAS 10034-96-5)	Ceiling	5 mg/m3	
US. ACGIH Threshold Lim	nit Values		
Components	Туре	Value	Form
Manganese Sulfate, monohydrate (CAS 10034-96-5)	TWA	0.1 mg/m3	Inhalable fraction.
		0.02 mg/m3	Respirable fraction.
US. NIOSH: Pocket Guide	to Chemical Hazards		
Components	Туре	Value	Form
Manganese Sulfate, monohydrate (CAS 10034-96-5)	STEL	3 mg/m3	Fume.
	TWA	1 mg/m3	Fume.
	ental Exposure Level (WEEL) Guides		
		Value	Form
Components	Type TWA		-
Components Urea (CAS 57-13-6)	Type TWA	10 mg/m3	Form Total particulate.
Components	Туре	10 mg/m3 the ingredient(s). ed. Ventilation rates should be cal exhaust ventilation, or othe nended exposure limits. If exp	Total particulate. e matched to conditions. If er engineering controls to osure limits have not been
Components Urea (CAS 57-13-6) logical limit values propriate engineering htrols	Type TWA No biological exposure limits noted for Good general ventilation should be use applicable, use process enclosures, lo maintain airborne levels below recomm	10 mg/m3 the ingredient(s). ed. Ventilation rates should be cal exhaust ventilation, or othe nended exposure limits. If exp o an acceptable level. Provide	Total particulate. e matched to conditions. If er engineering controls to osure limits have not been
Components Urea (CAS 57-13-6) logical limit values propriate engineering htrols	Type TWA No biological exposure limits noted for Good general ventilation should be use applicable, use process enclosures, lo maintain airborne levels below recomm established, maintain airborne levels to	10 mg/m3 the ingredient(s). ed. Ventilation rates should be cal exhaust ventilation, or othe nended exposure limits. If exp o an acceptable level. Provide nt	Total particulate. e matched to conditions. If er engineering controls to osure limits have not been
Components Urea (CAS 57-13-6) logical limit values propriate engineering ntrols	Type TWA No biological exposure limits noted for Good general ventilation should be use applicable, use process enclosures, lo maintain airborne levels below recomm established, maintain airborne levels to es, such as personal protective equipme	10 mg/m3 the ingredient(s). ed. Ventilation rates should be cal exhaust ventilation, or othe hended exposure limits. If exp o an acceptable level. Provide nt r cartridge and full facepiece.	Total particulate. e matched to conditions. If er engineering controls to osure limits have not been
Components Urea (CAS 57-13-6) ological limit values propriate engineering ntrols ividual protection measure Eye/face protection Skin protection	Type TWA No biological exposure limits noted for Good general ventilation should be use applicable, use process enclosures, lo maintain airborne levels below recomm established, maintain airborne levels to es, such as personal protective equipme Chemical respirator with organic vapor	10 mg/m3 the ingredient(s). ed. Ventilation rates should be cal exhaust ventilation, or othe nended exposure limits. If exp o an acceptable level. Provide nt r cartridge and full facepiece.	Total particulate. e matched to conditions. If er engineering controls to osure limits have not been eyewash station.
Components Urea (CAS 57-13-6) ological limit values propriate engineering ntrols ividual protection measure Eye/face protection Skin protection Hand protection	Type TWA No biological exposure limits noted for Good general ventilation should be use applicable, use process enclosures, lo maintain airborne levels below recomm established, maintain airborne levels to es, such as personal protective equipme Chemical respirator with organic vapor Wear appropriate chemical resistant g	10 mg/m3 the ingredient(s). ed. Ventilation rates should be cal exhaust ventilation, or othe nended exposure limits. If exp o an acceptable level. Provide nt cartridge and full facepiece. oves. othing. Use of an impervious	Total particulate. e matched to conditions. If er engineering controls to osure limits have not been eyewash station.
Components Urea (CAS 57-13-6) ological limit values propriate engineering ntrols ividual protection measure Eye/face protection Skin protection Hand protection Other	Type TWA No biological exposure limits noted for Good general ventilation should be use applicable, use process enclosures, lo maintain airborne levels below recomm established, maintain airborne levels to es, such as personal protective equipme Chemical respirator with organic vapor Wear appropriate chemical resistant ge Wear appropriate chemical resistant chemical resis	10 mg/m3 the ingredient(s). ed. Ventilation rates should be cal exhaust ventilation, or othe nended exposure limits. If exp o an acceptable level. Provide nt cartridge and full facepiece. oves. othing. Use of an impervious	Total particulate. e matched to conditions. If er engineering controls to osure limits have not been eyewash station.

9. Physical and chemical properties

Appearance

Physical state	Liquid.
Form	Liquid.
Color	Not available.
Odor	Not available.
Odor threshold	Not available.
рН	6 - 8
Melting point/freezing point	68 °F (20 °C) estimated
Initial boiling point and boiling range	554 °F (290 °C) estimated
Flash point	> 250.0
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or exp	losive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	0.0001 hPa estimated
Vapor density	Not available.
Relative density	1.32 g/cm3 (typical)
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.
Percent volatile	10 %
Pounds per gallon	11 lb/gal (typical)
10. Stability and reactivity	

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Conditions to avoid	Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation Prolonged inhalation may be harmful.	
Skin contact	Knowledge about health hazard is incomplete.
Eye contact	Causes serious eye irritation.
Ingestion	Harmful if swallowed.

Information on toxicological effects

Acute toxicity Harmful if swallowed.

Acute toxicity	Harmful if swallowed.		
Components	Species	Test Results	
Manganese Sulfate, monohydrate	e (CAS 10034-96-5)		
Acute			
Oral			
LD50	Rat	2150 mg/kg	
Urea (CAS 57-13-6)			
<u>Acute</u>			
Oral			
LD50	Rat	8471 mg/kg	
Zinc Sulfate, Monohydrate (CAS	7446-19-7)		
<u>Acute</u>			
Dermal			
LD50	Rat	> 2000 mg/kg	
Oral			
LD50	Rat	623 mg/kg	
Skin corrosion/irritation	Due to partial or complete lack of data the classification is not possible.		
Serious eye damage/eye irritation	Causes serious eye irritation.		
Respiratory or skin sensitizatio	n		
Respiratory sensitization	Due to partial or complete lack of data the classification is not possible.		
Skin sensitization	Due to partial or complete lack of data the classification is not possible.		
Germ cell mutagenicity	Due to partial or complete lack of data the classification is not possible.		
Carcinogenicity	Due to partial or complete lack of data the classification is not possible.		
IARC Monographs. Overall	Evaluation of Carcinogenicity		
Not listed.			
	ed Substances (29 CFR 1910.1001-1053)		
Not listed.	ogram (NTP) Report on Carcinogens		
Not listed.			
Reproductive toxicity	Suspected of damaging fertility or the unborn of	child.	
Specific target organ toxicity - single exposure	Due to partial or complete lack of data the classification is not possible.		
Specific target organ toxicity - repeated exposure	Causes damage to organs through prolonged or repeated exposure.		
Aspiration hazard	Due to partial or complete lack of data the classification is not possible.		
Chronic effects	Prolonged inhalation may be harmful. Causes damage to organs through prolonged or repea exposure.		
12. Ecological information	n		
Ecotoxicity		y hazardous. However, this does not exclude the a harmful or damaging effect on the environment.	
Broduct	Species .	Test Besults	

Product		Species	Test Results
Homestretch S			
Aquatic			
Crustacea	EC50	Daphnia	139.2132 mg/l, 48 hours estimated
Fish	LC50	Fish	256.5527 mg/l, 96 hours estimated

Components		Species	Test Results
Manganese Sulfate, monohy	drate (CAS 1	0034-96-5)	
Aquatic			
Crustacea	EC50	Water flea (Daphnia obtusa)	30.8 - 44.1 mg/l, 48 hours
Fish	LC50	Fathead minnow (Pimephales promelas)	36.9 mg/l, 96 hours
			29.7 - 52.7 mg/l, 192 hours
Urea (CAS 57-13-6)			
Aquatic			
Crustacea	EC50	Water flea (Daphnia magna)	3910 mg/l, 48 hours
Fish	LC50	Carp (Leuciscus idus melanotus)	> 10000 mg/l, 48 hours
		Guppy (Poecilia reticulata)	16200 - 18300 mg/l, 96 hours
		Harlequinfish, red rasbora (Rasbora heteromorpha)	12000 mg/l, 96 hours
		Mozambique tilapia (Tilapia mossambica)	590 - 730 mg/l, 96 hours
Zinc Sulfate, Monohydrate (C	AS 7446-19-	7)	
Aquatic			
Crustacea	EC50	Rotifer (Philodina acuticornis)	0.3 mg/l, 48 hours
Fish	LC50	Rainbow trout,donaldson trout (Oncorhynchus mykiss)	0.162 mg/l, 96 hours
rsistence and degradability	No data is	available on the degradability of any ingredier	nts in the mixture.
accumulative potential			
Partition coefficient n-octa	nol / water (le	og Kow)	
Urea	· · · · · ·	-2.11	
bility in soil	No data av	vailable.	
ner adverse effects		No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.	
. Disposal consideratio	ns		
posal instructions	Collect and	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.	
cal disposal regulations		Dispose in accordance with all applicable regulations.	
zardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.		
ste from residues / unused oducts	product re	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).	
ntaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container i emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.		
. Transport information	-		
т			
UN number	UN3082		
UN proper shipping name	Environme LBS)	Environmentally hazardous substances, liquid, n.o.s. (Zinc Sulfate, Monohydrate RQ = 23474	
Transport hazard class(es)			
Class	9		
Subsidiary risk	-		
Label(s) Packing group	9 		
Environmental hazards	111		
Marine pollutant	No		
-		ty instructions, SDS and emergency procedure	es before handling.
Special provisions		5, IB3, T4, TP1, TP29	č
Packaging exceptions	155		

155

Packaging exceptions

Packaging non bulk	203
Packaging bulk	241

Not DOT regulated in domestic (USA ground) transportation in package sizes less than 23474 lbs (2038 gallons); 10648 kg (7715 liters).

The DOT transportation information above is for shipments with package sizes equal to or exceeding this value.

DOT Shipping Notes: 40 CFR 172.504(f)(9) For Class 9, a CLASS 9 placard is not required for domestic (USA ground) transportation, however shipments with packaging exceeding the Reportable Quantity (RQ) or bulk packaging must be marked with the appropriate identification number on a CLASS 9 placard, an orange panel, or a white square-on-point display configuration as required. Since the Class 9 placard is not required (although it may be used) the hazardous material endorsement is also not required on a Commercial Drivers License.


IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

DOT



General information

Not DOT regulated in domestic (USA ground) transportation in package sizes less than 23474 lbs (2038 gallons); 10648 kg (7715 liters).

The DOT transportation information above is for shipments with package sizes equal to or exceeding this value.

15. Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200. **Toxic Substances Control Act (TSCA)** TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D) Not regulated. CERCLA Hazardous Substance List (40 CFR 302.4) Manganese Sulfate, monohydrate (CAS 10034-96-5) Listed. SARA 304 Emergency release notification Not regulated. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053) Not listed. Superfund Amendments and Reauthorization Act of 1986 (SARA) SARA 302 Extremely hazardous substance Not listed. SARA 311/312 Hazardous Yes chemical **Classified hazard** Acute toxicity (any route of exposure) Serious eye damage or eye irritation categories Reproductive toxicity Specific target organ toxicity (single or repeated exposure) SARA 313 (TRI reporting) **Chemical name CAS** number % by wt. 3 - < 5 Manganese Sulfate, monohydrate 10034-96-5 Zinc Sulfate, Monohydrate 7446-19-7 3 - < 5

Material name: Homestretch S 29012MER Version #: 04 Revision date: 03-14-2024 Issue date: 08-17-2020

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Manganese Sulfate, monohydrate (CAS 10034-96-5)

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act Contains component(s) regulated under the Safe Drinking Water Act. **(SDWA)**

US state regulations

California Proposition 65

WARNING: This product can expose you to chemicals including arsenic, cadmium, and lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	No

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date Revision date Version #	08-17-2020 03-14-2024 04
Disclaimer	The information provided in this Safety Data Sheet is correct to the best of Manufacturer's knowledge, information and belief at the date of its publication; however, it is provided only as a guidance for safe handling, use, processing, storage, transportation, disposal and release of the Product. No warranties of any kind, either expressed or implied, including warranties of merchantability or fitness for a particular purpose, are made with respect to the Product or the information provided herein, or that the Product or information herein may be used without infringing the intellectual property rights of others. The information provided in this Safety Data Sheet relates only to the specific Product designated and may not be valid if the Product is used in combination with other materials or in any other process, unless specified herein. The user assumes all risk and liability for loss, injury, damage or expense due to any use, handling, storage or disposal of the Product, and Manufacturer recommends that the user conducts its owns tests of the Product to determine suitability of the Product for user's particular use.
Revision information	Product and Company Identification: Alternate Trade Names Physical & Chemical Properties: Multiple Properties